

Progress report on Rice in Lam Luka

June 2010



Pre-mixed HG ready to be diluted



HG diluted into spraying Machine

เตรียมผง Herbagreen อัตราส่วน 400
กรัม ต่อพื้นที่ 1 ไร่
ผสมกับน้ำพอประมาณสำหรับทำให้ผง
Herbagreen ละลายให้เป็นเนื้อ เดียวกับ
น้ำ แล้วทิ้งไว้ 1 คืน

หลังจากทิ้งไว้ 1 คืนแล้วนำมาผสมกับน้ำ
ในอัตราส่วน 400 กรัม ต่อน้ำ 100
ลิตร ต่อ พื้นที่ 1 ไร่

Softening of Rice



Keep rice in water 24 Hours for **Sprouting**



Ready



After 24 Hours removed from water 4 May '10



After 24 Hours

Washing of Sprouts with Herbagreen



Dilution Herbagreen 2 kg /water400 liter



5 May '10 05.45 pm



Pouring Dilution over Rice



5 May '10

Test Site



Sowing Rice into test field 5. May 10



growth after 20 days, 25. May 10



Left side, **control field** – right side **HG field**



Left **control plant** – right **HG plant**

2nd Test Site



Preparation of Farm 3. May 10



Growth after 20 days, 25th May



No Worms coming up at all after 20 days



First Spray of HG, 25 May'10

Comparing Growth of Control - to HG Plants



Dense Growth w HG



Healthy Leaves and Body



Poor density in Control field



Uneven Growth, hanging Leafs

First HG Spray application

25.May 10



Test Site in Perfect Condition,



Appearance of Test field on Day 40



Best quality development, no Insects in sight



Roots compared on 30 day old Plants

